

CASEMENT WINDOWS




Three coat finish



Multi-layer engineered timber



Internally beaded glazing



Enhanced security

CASEMENT WINDOWS


Our most popular range, Dale Joinery casement windows include Flush and Stormproof options, the latter ideal for homes in more exposed positions. Whichever you choose both offer exceptional levels of insulation.







FROM CONCEPT TO CONSTRUCTION







Dale Joinery Flush Casements have sashes that close flush into the frame whilst our Stormproof Casements have sashes that close overlapping the frame, providing additional weather protection. Slim glazing bars in a wide variety of configurations may be added as required to enhance overall appearance.

With advanced draught sealing, highly efficient double glazing, internal beading and robust, multi-point locking systems, Dale Joinery Casement Windows deliver high performance and an authentic appearance.











With a wide range of styles and over 200 colours available, including the option to have different colours inside and outside, together with a complementary range of entrance doors and French doors, you can be certain to find the perfect look for your home.






















FLUSH CASEMENT

Dale Joinery Flush Casement section drawings are included as a guide only and are not to scale.

If you would like a quotation for an upcoming project please contact us on **0800 030 2222.**

Alternatively you can email our sales team with your plans **sales@dalejoinery.co.uk**




TRICKLE VENT DETAIL






FLUSH CASEMENT




section drawings


FLUSH CASEMENT CILL




PLANT ON CILL



VENT & HEAD DRIP



GLAZING BARS



STORMPROOF CASEMENT


Dale Joinery Stormproof Casement section drawings are included as a guide only and are not to scale.

If you would like a quotation for an upcoming project please contact us on **0800 030 2222.**

Alternatively you can email our sales team with your plans **sales@dalejoinery.co.uk**




STORMPROOF CASEMENT




section drawings

STORMPROOF CASEMENT CILL



VENT & HEAD DRIP



GLAZING BARS

